


OZUBENÉ REMENE

Neopren s kordom zo sklenených vlaken



TOLERANCIE VYSKY


Typ	Rozostup mm	hs mm	Tol. mm	ht mm	S mm	β Grad
XL	5.080	2,3	±0,20	1,27	2,57	50
L	9.525	3,6	±0,25	1,91	4,65	40
H	12.700	4,3	±0,25	2,29	6,12	40
XH	22.225	11,2	±0,65	6,35	12,57	40

TOLERANCIE SIRKY

Nominalna sirka v 1/100 jedného palca	v mm	Tolerancia sirky		
		do 838,2 mm	> 838,2 do 1676,4 mm	> 1676,4 mm
0,12-0,37	3,0-9,5	+0,5 - 0,8	—	—
> 037-150	> 9,5-38,1	+0,8 - 0,8	+0,8 - 1,3	+0,8 - 1,3
> 150-200	> 38,1-50,8	+0,8 - 1,3	+1,3 - 1,3	+1,3 - 1,5
> 200-300	> 50,8-76,2	+1,3 - 1,5	+1,5 - 1,5	+1,5 - 2,0

TOLERANCIE DLZKY

Dlžka do 1/10 jedného palca	in mm	Tolerancia mm
< 36	< 91,4	± 0,15
> 36-100	> 91,4-254,0	± 0,20
> 100-150	> 254,0-381,0	± 0,23
> 150-200	> 381,0-508,0	± 0,25
> 200-300	> 508,0-762,0	± 0,30
> 300-390	> 762,0-990,6	± 0,33
> 390-480	> 990,6-1219,2	± 0,38
> 480-600	> 1219,2-1524,0	± 0,40
> 600-700	> 1524,0-1778,0	± 0,43
> 700-800	> 1778,0-2032,0	± 0,45
> 800-900	> 2032,0-2286,0	± 0,48
> 900-1000	> 2286,0-2540,0	± 0,50
> 1000-1100	> 2540,0-2794,0	± 0,53
> 1100-1200	> 2794,0-3048,0	± 0,55
> 1200-1260	> 3048,0-3200,4	± 0,58
> 1260-1400	> 3200,4-3556,0	± 0,60
> 1400-1600	> 3556,0-4064,0	± 0,65
> 1600-1700	> 4064,0-4318,0	± 0,68
> 1700-1800	> 4318,0-4572,0	± 0,70



OZUBENÉ REMENE



XL ROZOSTUP 1/5" (5,080 mm) NEOPREN

Kod	Pocet zubov	Nominalna dlzka Palec	mm
60 XL	30	6,00	152,40
70 XL	35	7,00	177,80
80 XL	40	8,00	203,20
90 XL	45	9,00	228,60
100 XL	50	10,00	254,00
102 XL	51	10,20	259,08
106 XL	53	10,60	269,24
108 XL	54	10,80	274,32
110 XL	55	11,00	279,40
116 XL	58	11,60	294,64
120 XL	60	12,00	304,80
130 XL	65	13,00	330,20
140 XL	70	14,00	355,60
148 XL	74	14,80	375,92
150 XL	75	15,00	381,00
160 XL	80	16,00	406,40
170 XL	85	17,00	431,80
180 XL	90	18,00	457,20
190 XL	95	19,00	482,60
200 XL	100	20,00	508,00
210 XL	105	21,00	533,40
220 XL	110	22,00	558,80
230 XL	115	23,00	584,20
240 XL	120	24,00	609,60
250 XL	125	25,00	635,00
260 XL	130	26,00	660,40
270 XL	135	27,00	685,80
280 XL	140	28,00	711,20
290 XL	145	29,00	736,60
300 XL	150	30,00	762,00
316 XL	158	31,60	802,64
330 XL	165	33,00	838,20
344 XL	172	34,40	873,76
380 XL	190	38,00	965,20

L ROZOSTUP 3/8" (9,525 mm) NEOPREN

Kod	Pocet zubov	Nominalna dlzka Palec	mm
124 L	33	12,37	314,33
150 L	40	15,00	381,00
187 L	50	18,75	476,25
210 L	56	21,00	533,40
225 L	60	22,50	571,50
240 L	64	24,00	609,60
255 L	68	25,50	647,70
270 L	72	27,00	685,80
285 L	76	28,50	723,90
300 L	80	30,00	762,00
322 L	86	32,25	819,15
345 L	92	34,50	876,20
367 L	98	36,75	933,45
390 L	104	39,00	990,60
420 L	112	42,00	1066,80
450 L	120	45,00	1143,00
480 L	128	48,00	1219,20
510 L	136	51,00	1295,40
540 L	144	54,00	1371,60
600 L	160	60,00	1524,00

Kod	Palec	Sirka remena mm
XL 025	1/4"	6,35
XL 031	5/16"	7,94
XL 037	3/8"	9,52

Kod	Palec	Sirka remena mm
L 050	1/2"	12,70
L 075	3/4"	19,05
L 100	1"	25,40

OZUBENÉ REMENE



H ROZOSTUP 1/2" (12,700 mm)

NEOPREN

Kod	Pocet zubov	Menovita dlzka Palec	Menovita dlzka mm
240 H	48	24,00	609,60
270 H	54	27,00	685,80
300 H	60	30,00	762,00
330 H	66	33,00	838,20
360 H	72	36,00	914,40
390 H	78	39,00	990,60
420 H	84	42,00	1066,80
450 H	90	45,00	1143,00
480 H	96	48,00	1219,20
510 H	102	51,00	1295,40
540 H	108	54,00	1371,60
570 H	114	57,00	1447,80
600 H	120	60,00	1524,00
630 H	126	63,00	1600,20
660 H	132	66,00	1676,40
700 H	140	70,00	1778,00
730 H	146	73,00	1854,20
750 H	150	75,00	1905,00
800 H	160	80,00	2032,00
850 H	170	85,00	2159,00
900 H	180	90,00	2286,00
1000 H	200	100,00	2540,00
1100 H	220	110,00	2794,00
1250 H	250	125,00	3175,00
1400 H	280	140,00	3556,00
1700 H	340	170,00	4318,00

XH ROZOSTUP 7/8" (22,225 mm)

NEOPREN


Kod	Pocet zubov	Menovita dlzka Palec	Menovita dlzka mm
507 XH	58	50,75	1289,05
560 XH	64	56,00	1422,40
630 XH	72	63,00	1600,20
700 XH	80	70,00	1778,00
770 XH	88	77,00	1955,80
840 XH	96	84,00	2133,60
980 XH	112	98,00	2489,20
1120 XH	128	112,00	2844,80
1260 XH	144	126,00	3200,40
1400 XH	160	140,00	3556,00
1540 XH	176	154,00	3911,60
1750 XH	200	175,00	4445,00

Kod	Palec	Sirka remena mm
H 075	3/4"	19,05
H 100	1"	25,40
H 150	1 1/2"	38,10
H 200	2"	50,80
H 300	3"	76,20


Kod	Palec	Sirka remena mm
XH 200	2"	50,80
XH 300	3"	76,20
XH 400	4"	101,60
XH 500	5"	127,00

OZUBENÉ REMENE

Polyuretán s ocelovým kordom



Kod XL037 = 50°




XL – L – H

Kod	Rozostup mm	L mm	hs mm	ht mm	Zatazenie max. N
XL 037	5,08	9,5 ± 0,5	2,3 ± 0,30	1,27	290
L 050	9,525	12,7 ± 0,5	3,6 ± 0,30	1,91	1270
L 075	9,525	19,1 ± 0,5	3,6 ± 0,30	1,91	1960
L 100	9,525	25,4 ± 0,5	3,6 ± 0,30	1,91	2760
L 150	9,525	38,1 ± 0,5	3,6 ± 0,30	1,91	4140
H 075	12,7	19,1 ± 0,5	4,3 ± 0,30	2,29	1960
H 100	12,7	25,4 ± 0,5	4,3 ± 0,30	2,29	2760
H 150	12,7	38,1 ± 0,5	4,3 ± 0,30	2,29	4140
H 200	12,7	50,8 ± 0,5	4,3 ± 0,30	2,29	5640


5M – 8M – 14M

Kod	Rozostup mm	L mm	hs mm	ht mm	Zatazenie max. N
5M 9	5	9 ± 0,5	3,6 ± 0,20	2,1	920
5M 15	5	15 ± 0,5	3,6 ± 0,20	2,1	1500
5M 25	5	25 ± 0,5	3,6 ± 0,20	2,1	2650
8M 20	8	20 ± 0,5	5,6 ± 0,30	3,4	3190
8M 30	8	30 ± 0,5	5,6 ± 0,30	3,4	4900
8M 50	8	50 ± 0,5	5,6 ± 0,30	3,4	8580
8M 85	8	85 ± 0,5	5,6 ± 0,30	3,4	14700
14M 40	14	40 ± 1,0	10,0 ± 0,45	6,0	9120
14M 55	14	55 ± 1,0	10,0 ± 0,45	6,0	12480
14M 85	14	85 ± 1,0	10,0 ± 0,45	6,0	19680
14M 115	14	115 ± 1,0	10,0 ± 0,45	6,0	26880



T5 – T10 – T20

Kod	Rozostup mm	L mm	hs mm	ht mm	Zatazenie max. N
T5 6	5	6 ± 0,5	2,2 ± 0,15	1,2	190
T5 10	5	10 ± 0,5	2,2 ± 0,15	1,2	320
T5 16	5	16 ± 0,5	2,2 ± 0,15	1,2	540
T5 25	5	25 ± 0,5	2,2 ± 0,15	1,2	900
T5 32	5	32 ± 0,5	2,2 ± 0,15	1,2	1150
T5 50	5	50 ± 0,5	2,2 ± 0,15	1,2	1860
T10 16	10	16 ± 0,5	4,5 ± 0,30	2,5	1610
T10 25	10	25 ± 0,5	4,5 ± 0,30	2,5	2650
T10 32	10	32 ± 0,5	4,5 ± 0,30	2,5	3450
T10 50	10	50 ± 0,5	4,5 ± 0,30	2,5	5520
T10 75	10	75 ± 0,5	4,5 ± 0,30	2,5	8400
T10 100	10	100 ± 0,5	4,5 ± 0,30	2,5	11270
T20 25	20	25 ± 1,0	8,0 ± 0,45	5,0	4170
T20 32	20	32 ± 1,0	8,0 ± 0,45	5,0	5390
T20 50	20	50 ± 1,0	8,0 ± 0,45	5,0	8580
T20 75	20	75 ± 1,0	8,0 ± 0,45	5,0	12990
T20 100	20	100 ± 1,0	8,0 ± 0,45	5,0	17400



AT5 – AT10 – AT20

Kod	Rozostup mm	L mm	hs mm	ht mm	Zatazenie max. N
AT 5 10	5	10 ± 0,5	2,7 ± 0,20	1,2	640
AT 5 16	5	16 ± 0,5	2,7 ± 0,20	1,2	1120
AT 5 25	5	25 ± 0,5	2,7 ± 0,20	1,2	1840
AT 5 32	5	32 ± 0,5	2,7 ± 0,20	1,2	2400
AT 10 16	10	16 ± 0,5	4,5 ± 0,30	2,5	2450
AT 10 25	10	25 ± 0,5	4,5 ± 0,30	2,5	4170
AT 10 32	10	32 ± 0,5	4,5 ± 0,30	2,5	5390
AT 10 50	10	50 ± 0,5	4,5 ± 0,30	2,5	8580
AT 20 25	20	25 ± 1,0	8,0 ± 0,45	5,0	5280
AT 20 32	20	32 ± 1,0	8,0 ± 0,45	5,0	7200
AT 20 50	20	50 ± 1,0	8,0 ± 0,45	5,0	11520
AT 20 75	20	75 ± 1,0	8,0 ± 0,45	5,0	17280
AT 20 100	20	100 ± 1,0	8,0 ± 0,45	5,0	23520